

# How to Identify Advanced Persistent, Targeted Malware Threats with Multidimensional Analysis

## Table of Contents

|                                                 |          |
|-------------------------------------------------|----------|
| <b>Introduction</b> .....                       | <b>1</b> |
| <b>Multidimensional Behavior Analysis</b> ..... | <b>1</b> |
| <b>Cloud-based Analysis</b> .....               | <b>5</b> |
| <b>Conclusion</b> .....                         | <b>6</b> |

### Introduction

This paper introduces multidimensional analysis of malware as an approach to identify advanced persistent, targeted threats. Most cyber threats originate from outside networks and exploit known vulnerabilities. These attacks have been responded to via conventional security methods, such as with antivirus, firewall, and IPS solutions. However, more recent and sophisticated cyber-attacks have targeted organizations by injecting malware or files into web applications or email used by employees.

In 2012, Advanced Persistent Threat (APT) attack techniques evolved further to disguise executable files with common application icons, such as those representing a doc file. Users who believe that the file is safe then unwittingly launch a malicious executable by opening the file.

Other attacks involved customized malware that were distributed after first identifying a common operating system or application used by the employees at the target organization. In other cases, update servers for applications used by the targeted organizations were exploited for the distribution of malware or the malware was inserted into Windows help files (hlp). In others, malicious executables were included in compressed files, along with application installation files, hidden in plain sight.

One thing is common to all of these APT attack scenarios. Although the methods are diverse, all are triggered by malware. The attack initiates with the distribution of malware past conventional security solutions, which were unable to identify the unknown or variant codes. Because of this, many organizations remain vulnerable to APTs.

### Multidimensional Behavior Analysis

Malware analysis involves both static and dynamic techniques. Static techniques include analyzing external characteristics of a file, such as the PE header, or lines of code with professional tools like OllyDbg or IDA Pro. Dynamic techniques include analyzing sample files in a controlled environment, such as in a “sandbox” or virtual machine (VM) and monitoring changes in behavior.

Static analysis requires malware experts to spend a fair amount of time evaluating files. Dynamic analysis, on the other hand, requires very little time to uncover changes in the OS, such as network behavior, registry alteration, or file system alteration. False positives or false negatives can occur with dynamic analysis, but most APT response solutions employ it because it provides quick results. What’s more, dynamic analysis offers a means of identifying malicious characteristics of unknown or variant codes in a VM environment that is not available with signature-based solutions.

## Multidimensional Analysis of Malware

Known files, which account for more than 90% of the files flowing into an enterprise network should continue to be monitored as well as the other 10% of unknown or variant. As shown in Figure 1, to detect changes in the OS, the automatic API function hooking in the user mode and kernel mode of the VM are used at the same time as for notification routines that the system automatically calls when certain events occur




Figure 1: Architecture of AhnLab MDS' Behavior Analysis Engine

Most aspects related to file execution should be considered when analyzing behavior. A solution that can perform a multidimensional analysis of malware evaluates the results of the behavior analysis in combination with signature-based determination. Additional information about the associated files is reviewed. This includes malicious characteristics, the risk level of the URLs or IP addresses that the file connects to, reputation information, and comprehensive behavior patterns.

## Multidimensional Analysis of Malware




Figure 2: Malware Detection with Multiple Analysis Technologies

The reputation analysis method uses contextual information, such as source and collection time or the number of file users, to analyze both the sample file and associated files. This analysis technique has an important role in detecting targeted attacks that use unknown codes, because it allows for a more fundamental response.




Figure 3: Behavior-based analysis and contextual information analysis based on reputation analysis

A best-in-class malware detection solution doesn't automatically flag malicious activity if suspicious behavior is found in the behavior analysis results. Instead, the differentiation minimizes false positive and negatives by considering the reputation analysis results (feedback from the AhnLab Smart Defense cloud feed).

### Cloud-based Analysis

Some APT response solutions emphasize signature-less analysis. This is based on the idea that APT attacks use unknown codes, which renders signature-based solutions useless. However, 90% of the files flowing into the enterprise network are either normal files or malicious files that use known codes. Furthermore, 25-50% of APTs utilize known malware, which means that signature-based malware detection technologies are useful for detecting a large volume of malicious activity, without needing to use more sophisticated analytical techniques.

Detecting threats by performing signature-based first, and then following up with other technologies, such as behavior-based analysis and dynamic content analysis, as shown in Figure 4, a multidimensional analysis of malware extracts the characteristics of a file to the “gray list” area, based on analysis information. Once these characteristics are extracted, additional static and dynamic analysis can be performed in the cloud, if necessary.





Figure 4: Malware Analysis with AhnLab MDS

Behavior-based analysis in the VM environment has some limitations. These include the CPU and memory load required to analyze a large number of files. A multidimensional malware analysis identifies known malware with a blacklist and normal files with a whitelist, as shown in Figure 5. By utilizing the cloud-based ASD analysis information database, signature database, and real-time feedback you can detect unknown or variant malware. As a result, unnecessary analysis processes are minimized.

## Multidimensional Analysis of Malware

### AhnLab MDS



### Competitors




Figure 5: Comparison of False Positives and Analysis Performance

## Conclusion

The frequency of APT attacks has been increasing sharply over the last few years. These techniques have evolved, and the targets have become wider in scope. Previously, APT attacks mainly aimed to steal confidential information. However, some of the more recent attacks have attempted to inflict serious damage on governmental agencies and critical infrastructures.

Despite these escalating threats, most organizations continue to respond with conventional security solutions, such as anti-virus solutions, intrusion detection/prevention systems, firewalls, Next Generation Firewalls, and web application firewalls. These organizations are limited by the time required to perform multidimensional threat analysis, the inability of these devices to perform this analysis and the lack of an automated response to identified threats.

### Introducing AhnLab MDS – Malware Defense System

AhnLab MDS detects advanced malware from multiple angles with signature-based analysis, behavior based analysis, and dynamic content analysis. In addition, AhnLab MDS uses an automated threat response process that includes:

- Collection and analysis of data for all major internet protocols (HTTP, SMTP, and FTP)
- Two-way monitoring of traffic inflows and outflows on the network
- Monitoring and blocking harmful site access and Command & Control (C&C) communication
- Treating hosts that are suspected of infection (not just identifying them)
- Extracting suspicious files in the host

## Multidimensional Analysis of Malware

---

These capabilities are why AhnLab MDS is the best APT response solution to protect businesses including the enterprise from advanced, targeted threats. The business is protected, the employees are protected, and it frees up IT resources to focus on other business critical activities.

---

### About AhnLab

AhnLab creates agile, integrated internet security solutions for corporate organizations. Founded in 1995, AhnLab, a global leader in security, delivers comprehensive protection for networks, transactions, and essential services. AhnLab delivers best-of-breed threat prevention that scales easily for high-speed networks, by combining cloud analysis with endpoint and server resources. AhnLab's multidimensional approach combines with exceptional service to create truly global protection against attacks that evade traditional security defenses. That's why more than 25,000 organizations rely on AhnLab's award-winning products and services to make the internet safe and reliable for their business operations.

---

#### AhnLab, Inc.

2318-D Walsh Ave. Santa Clara, CA 95051 USA

Toll Free +1.800.511.AhnLab (1.800.511.2465)

+1.877.551.2690

Email [info@ahnlab.com](mailto:info@ahnlab.com)

© 2013 AhnLab, Inc. All rights reserved.

**AhnLab**  
Design Your Security